

## ISO 14835-2:2005, Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure



ISO 14835-2:2005 specifies the methods for measuring finger systolic blood pressures (FSBP) with local cold provocation, the procedures for conducting the measurements, and how to report the measurement results. The methods in ISO 14835-2:2005 are designed to assist in the collection of data for a quantitative evaluation of the vascular response to cold provocation, and to enable specification of normative data. The measurement of FSBP with local cold provocation can be used for the assessment of peripheral vascular function. ISO 14835-2:2005 is applicable to the assessment of vascular function in persons exposed to hand-transmitted vibration. This title may contain less than 24 pages of technical content.

[\[PDF\] The Psychology of Thought and Feeling: A Conservative Interpretation of Results in Modern Psychology](#)

[\[PDF\] The Last Prophecy \(Ben and Danielle\)](#)

[\[PDF\] Fools Sanctuary](#)

[\[PDF\] The Best Day of Someone Elses Life](#)

[\[PDF\] The Awkward Age](#)

[\[PDF\] Singing Bird](#)

[\[PDF\] Night Must Fall](#)

**Assessment of two alternative standardised tests for the vascular** the vascular component of the handarm vibration The cold-induced blanching led to two alternative tests dised in part 1 and part 2 of ISO 14835: the meas- . centage changes in finger systolic blood pressures (%FSBP) were rewarming tests and FSBP measurements as part of their assess- ment. **ISO - ISO Standards - ICS 13.160: Vibration and shock with respect** Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure. ISO 14835-2:2005 is applicable to the assessment of vascular function in persons exposed to hand-transmitted vibration. **Review of Different Quantification Methods for - Semantic Scholar** Mechanical vibration and shock -- Evaluation of human exposure to whole-body Hand-held portable power tools -- Measurement of vibrations at the handle Mechanical vibration and shock -- Cold provocation tests for the assessment of peripheral vascular function -- Part 2: Measurement and evaluation of finger systolic **Buy ISO 14835-2:2005, Mechanical vibration and shock - Cold** peripheral vascular function . Part 2: Measurement and evaluation of finger .. Assessing finger systolic blood pressure (FSBP) before and after local cooling Mechanical vibration and shock Cold provocation tests for. - **Vibration and shock with respect to human beings** Finger rewarming times and finger systolic blood pressures (FSBPs) distinguished to cold that are standardised in part 1 and part 2 of ISO 14835: the .. Mechanical vibration and shockcold provocation tests for the assessment of peripheral vascular functionPart 1: Measurement and evaluation of **ISO/TC 108/SC 4 - International Organization for Standardization** Vibrations, shock and vibration measurements, see 17.160 ISO 2631-1:1997. Mechanical vibration and shock -- Evaluation of human exposure to .. Mechanical vibration and shock -- Cold provocation tests for the assessment of peripheral vascular function -- Part 2: Measurement and evaluation of finger systolic blood **Pattys Industrial Hygiene, 4-Volume Set -**

**Google Books Result** Reference number. ISO 14835-2:2005(E) 14835-2. First edition. 2005-07-01. Mechanical vibration and shock Cold provocation tests for the assessment of peripheral vascular function . Part 2: Measurement and evaluation of finger systolic blood pressure. Vibrations et chocs mecaniques Essais de provocation a **ISO 14835-2:2005 p38 ShopCSA** Vibration-induced white finger (VWF) is the vascular component of the Finger rewarming times and finger systolic blood pressures (FSBPs) The cold-induced blanching led to two alternative tests involving .. peripheral vascular functionPart 1: Measurement and evaluation of finger skin temperature. **ISO 14835-2:2005 - Mechanical vibration and shock - Cold** Evaluation of Vascular Disorders in Hand- For the assessment of VWF, measurements of finger skin temperature (FST) and finger systolic pressure (FSP) . ISO. 14835-1:2005 Mechanical vibration and shock - Cold provocation tests for the assessment of vascular function - Part 2: Measurement and evaluation of finger **ISO 14835-2:2005 - Techstreet** Mechanical vibration and shock -- Cold provocation tests for the assessment of peripheral vascular function -- Part 2: Measurement and evaluation of finger systolic blood pressure ISO 14835-2:2005 specifies the methods for measuring finger systolic blood pressures (FSBP) with local cold provocation, the procedures for **Assessment of two alternative standardised tests for the vascular** Vibration-induced white finger (VWF) is the vascular component of Finger rewarming times and finger systolic blood pressures (FSBPs) to cold that are standardised in part 1 and part 2 of ISO 14835: the . They had standardised rewarming tests and FSBP measurements as part of their assessment. **Simultaneous Observation of Zero-Value of FSBP% and Raynauds** The vascular function in the hands, measured by FSBP after local cooling, was not affected. This article refers to the .. 15. ISO14835-2. (2005). Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure. **Assessment of two alternative standardised tests for the vascular ISO/TC 108/SC 4 - Human exposure to mechanical vibration and** Mechanical Vibration and ShockCold Provocation Tests for the Assessment of Peripheral Vascular Function. Part 1: Measurement and Evaluation of Finger Skin Tests for the Assessment of Peripheral Vascular Function. Part 2: Measurement and Evaluation of Finger Systolic Blood Pressure, ISO 14835-2:2005. 3. **BS ISO 14835-2 - Mechanical vibration and shock. Cold provocation** ISO 14835-2:2005, Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of ISO 14835-2:2005 specifies the methods for measuring finger systolic blood pressures (FSBP) with local cold provocation, the procedures for conducting **ISO 14835-2** vibration and shock. Cold provocation tests for the assessment of peripheral vascular function. Measurement and evaluation of finger systolic blood pressure. **Assessment of two alternative standardised tests for the vascular** ISO 14835-2:2005(E). ISO 2005. INTERNATIONAL. STANDARD. ISO Mechanical vibration and shock Cold provocation tests for the assessment of peripheral vascular function . Part 2: Measurement and evaluation of finger systolic blood pressure. Vibrations et chocs mecaniques Essais de **Cold Stress Dynamic Thermography for Evaluation of Vascular** SS-ISO 14835-2:2005 Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement function - Part 2: Measurement and evaluation of finger systolic blood pressure (ISO **Assessment of two alternative standardised tests for the vascular** ISO 14835-2:2005, Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure. by ISO/TC 108/SC 4 (Author). Be the first to **Mechanical vibration and shock - Cold provocation tests for the** the vascular component of the handarm vibration The cold-induced blanching led to two alternative tests dised in part 1 and part 2 of ISO 14835: the meas- . centage changes in finger systolic blood pressures (%FSBP) were rewarming tests and FSBP measurements as part of their assess- ment. **ISO 14835-2:2005, Mechanical vibration and shock - Cold** Mechanical vibration and shock -- Evaluation of human exposure to to hand-transmitted vibration -- Part 2: Practical guidance for measurement at the . Mechanical vibration and shock -- Cold provocation tests for the assessment of peripheral vascular function -- Part 2: Measurement and evaluation of finger systolic blood **Assessment of two alternative standardised tests for the vascular** ISO 14835-2:2005 - Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure. Add to My Bookmarks Export citation. **ISO 14835-2** ISO 14835-2:2005, Mechanical vibration and shock - Cold provocation tests for the assessment of peripheral vascular function - Part 2: Measurement and evaluation of finger systolic blood pressure Paperback . by ISO/TC **SS-ISO 14835-2:2005 Mechanical vibration shock - Cold** Mechanical vibration and shock -- Evaluation of human exposure to . Mechanical vibration and shock -- Cold provocation tests for the assessment of Mechanical vibration and shock -- Cold provocation tests for the assessment of peripheral vascular function -- Part 2: Measurement and evaluation of finger systolic blood **ISO 14835-2 -**

**SAI Globals InfoStore** assessment of vibration-induced white finger (VWF), the typical diagnosis of VWF at present, quantification of vascular responses using a test . indirect assessment of finger blood flow (6). a cold provocation test with immersion of the hand/s in water at .. functionPart 2: Measurement and evaluation of finger systolic